









It has defined high-performance freestyle. The hull's combination of speed and pop, combined with smooth, sculpted volume distribution, are exactly why Peter Csonka picked the Project to dominate the 2008 World Cup. The air you'll be getting in this baby is unmatched. With 3 sizes, we call it the Project because it's our pet. Our always in beta boat. Our pride and joy. Paddle and believe.

Lime	Yellow	Citrus	Red	Orange	

PROJECT

	Company of the Compan		•	<u>. </u>
	PROJECT 45	PROJECT 52	PROJECT 62	FEATURES
WEIGHT RANGE	80-140 lbs. • 36 kg-64 kg	130-190 lbs. • 59 kg-86 kg	180-240 lbs. • 82 kg-109 kg	Customizable foam bulkhead system
СОСКРІТ	33.5"x19" • 85 cm x 48 cm	33.5"x19" • 85 cm x 48 cm	33.5"x19" • 85 cm x 48 cm	Thermoformed seat and hull beam
DECK HEIGHT	12" • 30 cm	12.75" • 32 cm	13.75" • 35 cm	 Two deep pocket grab handles
BOAT WEIGHT	30 lbs. • 14 kg	31 lbs. • 14 kg	32 lbs. • 15 kg	 Plush thermoformed seat pad
VOLUME	45 gal • 170 L	52 gal • 197 L	62 gal • 235 L	Thigh ratchet backband
WIDTH	24.5" • 62 cm	25" • 62 cm	25.75" • 65 cm	 Adjustable thigh-hooks
LENGTH	5′11″ • 180 cm	6'1" • 185 cm	6'4" • 193 cm	










What do you call it when you bring a river-runner and freestyle boat together for one go-anywhere, do-anything boat? That's nice, but we called it Fuse. The legendary hull design is loose and fast on waves and the volume distribution is not only comfy, but hands you control whether you're throwing cartwheels or simply running your favorite stretch of river. With 4 sizes, there's a boat for everyone to get down their favorite river and tear up every single playspot along the way.

Lime	Yellow	Citrus	Red	Orange	

FUSE

	FUSE 35	FUSE 48	FUSE 56	FUSE 64	FEATURES
WEIGHT RANGE	60-110 lbs. • 27 kg-50 kg	100-160 lbs. • 45 kg-73 kg	140-210 lbs. • 63 kg-95 kg	190-270 lbs. • 86 kg-122 kg	Customizable foam bulkhead system
СОСКРІТ	27.5"x17.5"• 70 cm x 44 cm	33.5"x19" • 85 cm x 48 cm	33.5"x19" • 85 cm x 48 cm	36.25"x20" • 92 cm x 51 cm	• Thermoformed seat and hull beam
DECK HEIGHT	10.5" • 27 cm	12.5" • 32 cm	13" • 33 cm	13.4" • 34 cm	• Two deep pocket grab handles
BOAT WEIGHT	26 lbs. • 12 kg	31 lbs. • 14 kg	33 lbs. • 15 kg	35 lbs. • 16 kg	 Plush thermoformed seat pad
VOLUME	35 gal • 132 L	48 gal • 182 L	56 gal • 212 L	64 gal • 246 L	 Thigh ratchet backband
WIDTH	23" • 58 cm	24.5" • 62 cm	25" • 64 cm	26" • 66 cm	Adjustable thigh-hooks
LENGTH	5′10″ • 178 cm	6'4" • 193 cm	6'6" • 198 cm	7' • 213 cm	











They've called it the 4x4 of kayaks. The SUV of river-runners. Runs rapids like a fast creekboat and also has a hull that will spin on green waves. Now it's all that and more. Peaked deck for resurfacing - check. A honed combination of planing hull and continuous rocker for the ultimate in agility - check. New outfitting that will let Sasquatch fit in a kayak – big, hairy, check. This isn't just an evolution of the original. Welcome to the next gen of river-running.

Lime	Yellow	Citrus	Red	Orange

DIESEL

	DIESEL 60		DIESEL 70		DIESEL 80		FEATURES
WEIGHT RANGE	60-130 lbs.	• 27 kg-59 kg	120-190 lbs.	• 54 kg-86 kg	150-250 lbs.	• 68 kg-113 kg	Rotomolded bulkhead system
СОСКРІТ	33.5"x19"	• 85 cm x 48 cm	33.5"x19"	• 85 cm x 48 cm	33.5"x19"	• 85 cm x 48 cm	Thermoformed seat and hull beam
DECK HEIGHT	12"	• 31 cm	13"	• 32 cm	13"	• 34 cm	Four deep pocket grab handles
BOAT WEIGHT	38 lbs.	• 17 kg	40 lbs.	• 18 kg	42 lbs.	• 19 kg	• Plush thermoformed seat pad
VOLUME	60 gal	• 227 L	70 gal	• 265 L	80 gal	• 303 L	Thigh ratchet backband
WIDTH	25"	• 64 cm	25.5"	• 65 cm	26"	• 66 cm	Adjustable thigh-hooks
LENGTH	7'4"	. 223 cm	۵′	244 cm	8'6"	250 cm	

WAVE SPORT

TYLER CURTIS

PLAY CS HARDS


TEAM WAVESPORT - We're gonna need a bigger trophy case. But Team Wave Sport do a lot more than just bring home national and international medals. They give loads of input to R&D and test our boats until we finally get their blessing...so you know you're paddling what they're paddling. When they boats designs or training for the next event, they're blazing first descents or contributing journey, they always make the most of it.



WHITEWATER. PERIOD.
















You want a boat that gets you through whatever the moment throws at you. This is it. The bombproof step pillar, 5 metal z-drag anchors and uber-stable, soft-landing hull are mandatory when you're plunging drops that have never before been run. The Habitat holds any line you put it on - and with the lift of a knee, you'll be carving into eddies with absolute control. You like that, don'tcha? We thought you might. So if you're just getting into creeking or an old pro, we've got the Habitat for you.





<u>HABITAT</u>

The state of the s		<u>, , , , , , , , , , , , , , , , , , </u>					
HABITAT 74	HABITAT 80		FEATURES				
100-200 lbs. • 45 kg-91 kg	150-260 lbs. • 68 kg-118 kg		Rotomolded bulkhead system				
33.5"x19" • 85 cm x 48 cm	33.5"x19" • 85 cm x 48 cm		 Rotomolded seat and hull beam 				
15" • 38 cm	15.4" • 39 cm		• Five deep pocket grab handles				
43 lbs. • 19 kg	43 lbs. • 19 kg		Plush thermoformed seat pad				
74 gal • 280 L	80 gal • 303 L		Thigh ratchet backband				
25" • 64 cm	25.5" • 65 cm		NEW Injection molded thigh-hooks				
8′ • 244 cm	8'4" • 254 cm		Step out system				
	HABITAT 74 100-200 lbs. • 45 kg-91 kg 33.5"x19" • 85 cm x 48 cm 15" • 38 cm 43 lbs. • 19 kg 74 gal • 280 L 25" • 64 cm	HABITAT 74 HABITAT 80 100-200 lbs. • 45 kg-91 kg 150-260 lbs. • 68 kg-118 kg 33.5"x19" • 85 cm x 48 cm 33.5"x19" • 85 cm x 48 cm 15" • 38 cm 15.4" • 39 cm 43 lbs. • 19 kg 43 lbs. • 19 kg 74 gal • 280 L 80 gal • 303 L 25" • 64 cm 25.5" • 65 cm	HABITAT 74 HABITAT 80 100-200 lbs. • 45 kg-91 kg 150-260 lbs. • 68 kg-118 kg 33.5"x19" • 85 cm x 48 cm 33.5"x19" • 85 cm x 48 cm 15" • 38 cm 15.4" • 39 cm 43 lbs. • 19 kg 43 lbs. • 19 kg 74 gal • 280 L 80 gal • 303 L 25" • 64 cm 25.5" • 65 cm				

WAVE SPORT Whitewater Kayak Comparison Chart

	Sept.			Shirt San	2	7		V /		400	-	_				Seginner	ntermedi	Advanced	stability	ase of Ro	Manuever	ull Spee	arving	Sounce	liciness	ooseness.	liver Run	reestyle	iteep Cree	Sig Water
MODEL	LENGTH	WIDTH	WEIGHT	СОСКРІТ	VOLUME	WEIGHT RANGE	DECK HEIGHT	HIP PADS	STEP-OUT BOW WALL	SEAT	THIGH BRACE	BACKBAND	SEAT PAD	FOOTBRACE	SECURITY BAR		YOU		01			THE B	BOAT		01	_		THE W	ATER	
Project 45	5′ 11″ 180 cm	24.5″ 62 cm	30 lbs 14 kg	33.5" x 19" 85 cm x 48 cm	45 gal 170 L	80-140 lbs. 36 kg-64 kg	12″ 30 cm	Standard	N/A	Thermoformed	Rotomolded	Ratchet	Standard	Foam Bulkhead	2 Security Bars	ок	Good	Great	ок	ок	Great Gr	eat Ol	K Great	Great	Great	Great	Good	Great	N/A	ОК
Project 52	6′ 1″ 185 cm	25″ 62 cm	31 lbs 14 kg	33.5" x 19" 85 cm x 48 cm	52 gal 197 L	130-190 lbs. 59 kg-86 kg	12.75″ 32 cm	Standard	N/A	Thermoformed	Rotomolded	Ratchet	Standard	Foam Bulkhead	2 Security Bars	ок	Good	Great	ок	ок	Great Gr	eat Ol	K Great	Great	Great	Great	Good	Great	N/A	ок
Project 62	6′ 4″ 193 cm	25.75" 65 cm	32 lbs 15 kg	33.5" x 19" 85 cm x 48 cm	62 gal 235 L	180-240 lbs. 82 kg-109 kg	13.75″ 35 cm	Standard	N/A	Thermoformed	Rotomolded	Ratchet	Standard	Foam Bulkhead	2 Security Bars	ОК	Good	Great	ОК	ОК	Great Gr	eat Ol	K Great	Great	Great	Great	Good	Great	N/A	ОК
Fuse 35	5′ 10″ 178 cm	23″ 58 cm	26 lbs 12 kg	27.5" x 17.5" 70 cm x 44 cm	35 gal 132 L	60-110 lbs. 27 kg-50 kg	10.5″ 27 cm	Standard	N/A	Thermoformed	Rotomolded	Webbing Ladder Lock	Standard	Foam Bulkhead	2 Security Bars	Great	Great	Great	Good	Good	Great Gr	eat Ol	K Good	Good	Good	Great	Great	Good	N/A	Good Mar 3-Ye
Fuse 48	6′ 4″ 193 cm	24.5″ 62 cm	31 lbs 14 kg	33.5" x 19" 85 cm x 48 cm	48 gal 182 L	100-160 lbs. 45 kg-73 kg	12.5″ 32 cm	Standard	N/A	Thermoformed	Rotomolded	Ratchet	Standard	Foam Bulkhead	2 Security Bars	Great	Great	Great	Good	Good	Great Gr	eat Ol	K Good	Good	Good	Great	Great	Good	N/A	Good the
Fuse 56	6′ 6″ 198 cm	25″ 64 cm	33 lbs 15 kg	33.5" x 19" 85 cm x 48 cm	56 gal 212 L	140-210 lbs. 63 kg-95 kg	13″ 33 cm	Standard	N/A	Thermoformed	Rotomolded	Ratchet	Standard	Foam Bulkhead	2 Security Bars	Great	Great	Great	Good	Good	Great Gr	eat Ok	K Good	Good	Good	Great	Great	Good	N/A	Good To s
Fuse 64	7′ 213 cm	26" 66 cm	35 lbs 16 kg	36.25" x 20" 92 cm x 51 cm	64 gal 246 L	190-270 lbs. 86 kg-122 kg	13.4″ 34 cm	Standard	N/A	Thermoformed	Rotomolded	Ratchet	Standard	Foam Bulkhead	2 Security Bars	Great	Great	Great	Good	Good	Great Gr	eat OF	K Good	Good	Good	Great	Great	Good	N/A	Good
Diesel 60	7′ 4″ 223 cm	25″ 64 cm	38 lbs 17 kg	33.5" x 19" 85 cm x 48 cm	60 gal 227 L	60-130 lbs. 27 kg-59 kg	12″ 31 cm	Standard	N/A	Thermoformed	Injection Molded Aluminum	Ratchet	Standard	Rotomolded Bulkhead	4 Security Bars	Great	Great	Great	Great	Great	Good Gr	eat Goo	od OK	N/A	N/A	Good	Great	N/A	Good	Great
Diesel 70	8′ 244 cm	25.5″ 65 cm	40 lbs 18 kg	33.5" x 19" 85 cm x 48 cm	70 gal 265 L	120-190 lbs. 54 kg-86 kg	13″ 33 cm	Standard	N/A	Thermoformed	Injection Molded Aluminum	Ratchet	Standard	Rotomolded Bulkhead	4 Security Bars	Great	Great	Great	Great	Great	Good Gr	eat Goo	od OK	N/A	N/A	Good	Great	N/A	Good	Great Poly
Diesel 80	8′ 6″ 259 cm	26″ 66 cm	42 lbs 19 kg	33.5" x 19" 85 cm x 48 cm	80 gal 303 L	150-250 lbs. 68 kg-113 kg	13″ 33 cm	Standard	N/A	Thermoformed	IInjection Molded Aluminum	Ratchet	Standard	Rotomolded Bulkhead	4 Security Bars	Great	Great	Great	Great	Great	Good Gr	eat Goo	od OK	N/A	N/A	Good	Great	N/A	Good	Great from
Habitat 74	8' 244 cm	25″ 64 cm	43 lbs 19 kg	33.5" x 19" 85 cm x 48 cm	74 gal 280 L	100-200 lbs. 45 kg-91 kg	15″ 38 cm	Standard	Standard	Rotomolded	Rotomolded	Ratchet	Standard	Rotomolded Bulkhead	5 Security Bars	Good	Great	Great	Great	Great	Good C	K Goo	od OK	N/A	N/A	N/A	Great	N/A	Great	Great cold
Habitat 80	8′ 4″ 254 cm	25.5″ 65 cm	43 lbs 19 kg	33.5" x 19" 85 cm x 48 cm	80 gal 303 L	150-260 lbs. 68 kg-118 kg	15.4″ 39 cm	Standard	Standard	Rotomolded	Rotomolded	Ratchet	Standard	Rotomolded Bulkhead	5 Security Bars	Good	Great	Great	Great	Great	Good C	K Goo	od OK	N/A	N/A	N/A	Great	N/A	Great	Great Cold in ca



All Wave Sport kayaks are designed and manufactured in the U.S.A. and are covered by a 3-Year Limited Warranty. Coverage varies over the 3 years and limitations apply. Check out the website for full details.


To see a full line of paddles, visit www.atpaddles.com.

o see a full line of paddling accessories, isit www.harmonygear.com.

olyethylene expands and contracts with changes in emperature and humicity. Actual dimensions can vary rom those shown in the Specifications Chart due to nolding process and/or exposure to extreme hot or old temperatures. Slight variations are not covered by varranty. Specifications and features are subject to change.

Colors may vary slightly from those shown in catalog. Color combinations (Citrus) will vary from those shown in catalog and are unique for each boat we produce. Variations in color are not not covered by warranty.





(888-525-2925) Fel or Fax: 888-52 KAYAK 111 Kayaker Way SC 29642 Easley,

www.wavesport.com

INTERNATIONAL JAPAN

e-mail: support@montbell.com Tel: +81 (6) 6531-4765 Mont Bell

NEW ZEALAND

www.wavesport.com

Action Watersport Supplies Tel: +58 (212) 762 2284 actionwatersport.co.nz e-mail: info@

SPAIN

e-mail: oriol@outdoorkayak.com Tel: +34 973-662 092 Outdoor Kayak

GERMANY, SWITZERLAND, AUSTRIA, CZECH REPUBLIC, SLOVENIA, e-mail: info@kajak.de Tel: +49 803690630 POLAND, ITALY Blue And White

745 Development Drive Unit 3B www.wavesport.com Fax: 613-384-2550 Canada K7M 4W6 Kingston, Ontario Tel: 877-370-4978

UNITED KINGDOM

White Water Consultancy Tel: + 41-267-223555 e-mail: sales@wwc.co.uk

AUSTRALIA

Melbourne Tel: +61 (3) 95 467 486 e-mail: sales@paddlepro.com.au Perth Tel: +61 (4) 00 390 605 Paddle Pro

RUSSIA

Three Elements Company Tel: +7 (495) 504 5260 e-mail: alex@tristihii.ru

NETHERLANDS, BELGIUM, LUXEMBOURG

e-mail: wendy@kanoshop.nl Kano Import Tiekano Tel: +31 (1052) 14333

58000168 © 2009 Wave Sport Wave Sport is a registered trademark of Confluence Watersports