

NO EXCLAMATIONS. NO EXCUSES. There aren't enough definites in life. But when you're in your boat, YOU'RE IN CONTROL. YOU CAN GO ANYWHERE YOUR SKILL AND EQUIPMENT CAN TAKE YOU. That's why we've poured our heart and souls into designing boats that master the unpredictable and let you discover new lines, new experiences, and new levels of progression in your journey. FROM FREESTYLE TO CREEKING we're giving you the tools to push the envelope however you wish. And to take control. Because THE JOURNEY IS WHAT YOU MAKE IT. AND YOU ARE THE JOURNEY.

THIS IS KAYAKING WAYESPORT

Claim your wave. Expression. KO RULES, OKLY FREESTYLE.

FRESTVLE NOBIUS

Our freestyle machine is short and fast with forgiving qualities that allow beginners to the sport to learn and progress quickly, while offering seasoned competitors an experience they too will appreciate. Between the rounded edges, the sculpted side walls, and the soft curvature of the bow, this predictable design makes loops, mcnastys and phonix monkeys easy to initiate. It is extremely loose and fast on waves, featuring a continuous rocker profile and a stern release edge that allows quick acceleration down a wave.



Mobius FIFTY SEVEN shown




MOBIUS FORTY NINE

WEIGHT RANGE	90-160 lbs.	• 41-73 kg	WEIGHT RANGE	13
СОСКРІТ	33″x19″	• 84 cm x 48 cm	СОСКРІТ	33
DECK HEIGHT	14"	• 36 cm	DECK HEIGHT	14
BOAT WEIGHT	30 lbs.	• 14 kg	BOAT WEIGHT	32
VOLUME	49 gal	• 185 L	VOLUME	57
WIDTH	24.75″	• 63 cm	WIDTH	26
LENGTH	5′6″	• 168 cm	LENGTH	5'8
-			-	

MODIOSI		
WEIGHT RANGE	130-200 lbs. •	59-91 kg
СОСКРІТ	33″x19″ •	84 cm x 48 cm
DECK HEIGHT	14.5" •	37 cm
BOAT WEIGHT	32 lbs. •	15 kg
VOLUME	57 gal •	216 L
WIDTH	26.25″ ·	67 cm
LENGTH	5'8″ •	173 cm


MOBIUS FIFTY SEVEN

FEATURES



MOBIUS SIXTY FIVE

WE	IGHT RANGE	180-250 lbs.	•	82-114 kg
со	СКРІТ	36″x20″	•	91 cm x 51 cm
DE	CK HEIGHT	15.75"	•	40 cm
во	AT WEIGHT	34 lbs.	•	16 kg
vo	LUME	65 gal	•	246 L
w	DTH	27.25″	•	69 cm
LEI	NGTH	6'0″	•	183 cm
_			_	



Forgiving, yet loose on waves. SPRINTING TO SURF. Get downstream. Don't miss the playspots. HYBRID.

For the river runners out there who still crave some freestyle love, we've got your back. Our river running playboats get you down river in one piece while allowing you to surf the playspots. Expect the forgiveness of a river runner and the high-performance loose hull of å freestyle boat. If you're a river runner who sprints to surf every wave and hole along the way, you've come to the right place.





FUSE 35

WEIGHT RANGE	60-110 lbs	. • 27 kg-50 kg	WEIGHT RANGE	100-160 lbs	. • 45 kg-73 kg
СОСКРІТ	27.5"x17.5	"• 70 cm x 44 cm	COCKPIT	33.5"x19"	• 85 cm x 48 cm
DECK HEIGHT	10.25"	• 26 cm	DECK HEIGHT	12.5"	• 32 cm
BOAT WEIGHT	25 lbs.	• 11 kg	BOAT WEIGHT	34 lbs.	• 15 kg
VOLUME	35 gal	• 132 L	VOLUME	48 gal	• 182 L
WIDTH	23"	• 58 cm	WIDTH	24.5"	• 62 cm
LENGTH	5'10"	• 178 cm	LENGTH	6'4"	• 193 cm

FUSE 48

FUSE 56			FUSE 64		
WEIGHT RANGE	140-210 lbs.	• 63 kg-95 kg	WEIGHT RANGE	190-270 lbs.	• 86 kg-122 kg
COCKPIT	33.5"x19"	• 85 cm x 48 cm	СОСКРІТ	36.25"x20"	• 92 cm x 51 cm
DECK HEIGHT	13"	• 33 cm	DECK HEIGHT	13.25"	• 34 cm
BOAT WEIGHT	37 lbs.	• 17 kg	BOAT WEIGHT	39 lbs.	• 18 kg
VOLUME	56 gal	• 212 L	VOLUME	64 gal	• 242 L
WIDTH	25"	• 64 cm	WIDTH	26"	• 66 cm
LENGTH	6'6"	• 198 cm	LENGTH	7'	• 213 cm

FEATURES

	A	CORE WhiteOut System - See Page 7 for all Features
	B	Rotomolded Play Seat with Adjustable Ratcheting Leg Lifter*
	C	Adjustable, Padded Thigh Braces and Removable Outer Thigh Hooks**
)	D	Padded Foam Foot Brace System
	e	Multiple Security Points
		e 35 comes with Thermoformed Seat e 35 does not include Removable Outer Thigh Hooks

FUSE

COLORS



*Fuse 35 shown utilizes unique small person outfitting - see page 7 for details

3



They've called it the 4x4 of kayaks. Runs rapids like a fast creekboat with a hull that will also spin on green waves. It is, indeed, all that and more. Peaked deck for resurfacing - check. A honed combination of planing hull and continuous rocker for ultimate agility – check. Outfitting that will let Sasquatch fit in a kayak – big, hairy – check. Meet the SUV of river running.





DIESEL 60

WEIGHT RANGE	60-140 lbs	• 27 kg-64 kg
СОСКРІТ	33.5"x19"	• 85 cm x 48 cm
DECK HEIGHT	12.25"	• 31 cm
BOAT WEIGHT	44 lbs.	• 20 kg
VOLUME	60 gal	• 227 L
WIDTH	25"	• 64 cm
LENGTH	7'4"	• 223 cm

DIESEL 80


WEIGHT RANGE	150-250 lbs.	• 68 kg-113 kg
СОСКРІТ	33.5"x19"	• 85 cm x 48 cm
DECK HEIGHT	14.25"	• 36 cm
BOAT WEIGHT	49 lbs.	• 22 kg
VOLUME	80 gal	• 303 L
WIDTH	26"	• 66 cm
LENGTH	8'6"	• 259 cm
-		

DIESEL 70

WEIGHT RANGE	120-190 lbs	. • 54 kg-86 kg
СОСКРІТ	33.5"x19"	• 85 cm x 48 cm
DECK HEIGHT	13.5"	• 34 cm
BOAT WEIGHT	46 lbs.	• 21 kg
VOLUME	70 gal	• 265 L
WIDTH	25.5"	• 65 cm
LENGTH	8'	• 244 cm


FEATURES





Unexplored canyons. First descents. PURSUE THE EPIC LINE. Solid, responsive, safe. THE JOURNEY OF THE ADVERTURE DEFINES YOU:

Reconnaissance is the military term for exploring beyond the area occupied by friendly forces. While the creeks may call out to us, the forces of the river don't always welcome our exploration. Performing at the highest levels of creeking and class IV-V+ boating, the Recon handles creeks and rivers efficiently, confidently and safely, with boofability worthy of a new term. Helping boaters make limit pushing a way of life since 2012 - the Recon Series.



Recon 93 shown



RECON 70

соскріт 32.5"х19" 83 ст х 48 ст соскріт DECK неіднт 14.25" • 36 ст DECK неід				
DECK HEIGHT14.25"· 36 cmDECK HEIGBOAT WEIGHT48 lbs.· 22 kgBOAT WEIGVOLUME70 gal· 265 LVOLUMEWIDTH25.5"· 65 cmWIDTH	WEIGHT RANGE	80-150 lbs.	• 36 kg-68 kg	WEIGHT RAI
BOAT WEIGHT 48 lbs. • 22 kg BOAT WEIGHT VOLUME 70 gal • 265 L VOLUME WIDTH 25.5" • 65 cm WIDTH	СОСКРІТ	32.5"x19"	• 83 cm x 48 cm	СОСКРІТ
VOLUME 70 gal • 265 L VOLUME WIDTH 25.5" • 65 cm WIDTH	DECK HEIGHT	14.25"	• 36 cm	DECK HEIGH
WIDTH 25.5" • 65 cm WIDTH	BOAT WEIGHT	48 lbs.	• 22 kg	BOAT WEIGH
	VOLUME	70 gal	• 265 L	VOLUME
LENGTH 7'9" • 236 cm LENGTH	WIDTH	25.5"	• 65 cm	WIDTH
	LENGTH	7'9"	• 236 cm	LENGTH

RECON 93


WEIGHT RANGE	180-275 lbs.	• 82 kg-125 kg
COCKPIT	34"x19.25"	• 86 cm x 49 cm
DECK HEIGHT	15.75"	• 40 cm
BOAT WEIGHT	55 lbs.	• 25 kg
VOLUME	93 gal	• 352 L
WIDTH	27"	• 69 cm
LENGTH	8'8"	• 264 cm


RECON 83

g-68 kg	WEIGHT RANGE	140-200 lbs	. • 64 kg-91 kg
n x 48 cm	COCKPIT	34"x19.25"	• 86 cm x 49 cm
n	DECK HEIGHT	15.25"	• 39 cm
J	BOAT WEIGHT	52 lbs.	• 24 kg
-	VOLUME	83 gal	• 314 L
n	WIDTH	26.5"	• 67 cm
:m)	LENGTH	8'3"	• 251 cm

FEATURES


RECON





SUNCOMPROMISED DERFORMANCE in a crossover package. CROSSOVER ETHOS

Introducing the river trekking category to Wave Sport, the Ethos is a stable, forgiving, performance-minded crossover platform. With more whitewater performance attributes than other designs in this category, the Ethos offers a confidence-building introduction to paddling in up to class III whitewater and offers outstanding comfort on long, multi-day river treks due to the roomy cockpit and sizable gear-storage space.



Ethos 10 shown



ETHOS NINE

90-200 lbs.	• 41 ka-91 ka
	i i i kg of kg
36"x20.5"	• 92 cm x 52 cm
13.5″	• 34 cm
52 lbs.	• 24 kg
80 gal	• 303 L
25.75"	• 65 cm
9'7"	• 291 cm
	13.5" 52 lbs. 80 gal 25.75"

ETHOS TEN

WEIGHT RANGE	150-260 lbs	s. • 68 kg-118 kg
COCKPIT	36"x20.5"	• 92 cm x 52 cm
DECK HEIGHT	14.75"	• 37 cm
BOAT WEIGHT	54 lbs.	• 25 kg
VOLUME	100 gal	• 379 L
WIDTH	27"	• 69 cm
LENGTH	10'3"	• 312 cm

FEATURES



Red	Citrus	Margarita	Purple Haze	Hornet	Cherry Bomb
			0		

CORE WHITEOUT OUTFITTING

The Core Whiteout Outfitting combines our stylish, marine vinyl white pads with the most innovative outfitting technology today. Focused on safety, enhanced performance, unparalleled adjustability and comfort, our new outfitting will set an industry standard of excellence with an all-new bulkhead system, leg lifters, very convenient adjustment points, and more.

FEATURES INCLUDE

- Reinforced bulkhead foot brace system with reinforced rails and expanding toe cup that prevents feet from pushing past the bulkhead
- Ratcheting leg lifter provides 3" in elevation for added storage space and adjustability that allows more efficient energy transfer from the paddler to the kayak
- All adjustment parts are tethered to prevent loss
- Comfortable cockpit padding
- Quick-release, adjustable hip pads
- Re-engineered back band provides greater functionality and easier access to storage space behind the seat
- Metric hardware for global compatibility
- Multiple attachment points and security tethers for securing gear
- Foot and seat booster padding included for customization

ADDITIONAL CREEK FEATURES

- Intuitive controls allow 3" of fore and aft seat adjustment
- Rotomolded tank style creek seat is stiff and durable
- Step-out wall includes easy-grip handle for easy carrying and efficiency in the step-out motion
- Storage tray adds storage capacity and hull structure

ADDITIONAL PLAY FEATURES

- Intuitive controls allow 4" of fore and aft seat adjustment
- Quick-reference indexing system allows on-the-fly adjustment
- Hull beam is welded to the kayak hull for durability and structural support





TEAMPIAVE SPORT

Team Wave Sport does a lot more than just bring home national and international medals. They play a very important role in our R&D process – to be specific, they punish our boats until we finally get their blessing so you know you're paddling what they're paddling. When they're not training for the next event, they're blazing first descents or contributing their time to a worthy cause. They put in a lot of hours and a lot of hardwork. And when it comes to the journey, they always make the most of it.

TEAM WAVE SPORT

Bryan Kirk – Caleb Adams – Chris Baer – Chris Wing – Devon Barker-Hicks – Devyn Scott Elaine Campbell – Hunter Katich – Ian Wingert – Kim Russell – Max Ovett – Sam Ovett Shane Groves – Tad Dennis – Taylor Cavin – Tyler Curtis – Tyler Fox – Wyatt Hyndman

÷	MODEL	LENGTH	WIDTH	WEIGHT	СОСКРІТ	VOLUME	WEIGHT RANGE	DECK HEIGHT	HIP PADS	STEP-OUT BOW WALL	SEAT	THIGH BRACE	BACK BAND	SEAT PAD	FOOT BRACE	SECURITY BAR
M	obius FORTY NINE	5'6" 168 cm	24.75" 63 cm	30 lbs 14 kg	33.0" x 19" 84 cm x 48 cm	49 gal 185 L	90-160 lbs. 41 kg-73 kg	14" 36 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Foam Bulkhead	1 Security Bars
Mo	obius FIFTY SEVEN	5'8" 173 cm	26.25" 67 cm	32 lbs 15 kg	33.0" x 19" 84 cm x 48 cm	57 gal 216 L	130-200 lbs. 59 kg-91 kg	14.5" 37 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Foam Bulkhead	1 Security Bars
• M	lobius SIXTY FIVE	6'0" 183 cm	27.25" 69 cm	34 lbs 16 kg	36.0" x 20" 91 cm x 51 cm	65 gal 246 L	180-250 lbs. 82 kg-114 kg	15.75" 40 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Foam Bulkhead	1 Security Bars
	Fuse 35	5'10" 178 cm	23" 58 cm	25 lbs 11 kg	27.5" x 17.5" 70 cm x 44 cm	35 gal 132 L	60-110 lbs. 27 kg-50 kg	10.25" 26 cm	Standard	N/A	Thermoformed	Rotomolded	Rear Ratchet	Standard	Foam Bulkhead	2 Security Bars
	Fuse 48	6'4" 193 cm	24.5" 62 cm	34 lbs 15 kg	33.5" x 19" 85 cm x 48 cm	48 gal 182 L	100-160 lbs. 45 kg-73 kg	12.5" 32 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Foam Bulkhead	2 Security Bars
	Fuse 56	6'6" 198 cm	25" 64 cm	37 lbs 17 kg	33.5" x 19" 85 cm x 48 cm	56 gal 212 L	140-210 lbs. 63 kg-95 kg	13" 33 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Foam Bulkhead	2 Security Bars
	Fuse 64	7′ 213 cm	26" 66 cm	39 lbs 18 kg	36.25" x 20" 92 cm x 51 cm	64 gal 242 L	190-270 lbs. 86 kg-122 kg	13.25" 34 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Foam Bulkhead	2 Security Bars
	Diesel 60	7'4" 223 cm	25" 64 cm	44 lbs 20 kg	33.5" x 19" 85 cm x 48 cm	60 gal 227 L	60-140 lbs. 27 kg-64 kg	12.25" 31 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	4 Security Bars
	Diesel 70	8′ 244 cm	25.5" 65 cm	46 lbs 21 kg	33.5" x 19" 85 cm x 48 cm	70 gal 265 L	120-190 lbs. 54 kg-86 kg	13.5" 34 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	4 Security Bars
	Diesel 80	8'6" 259 cm	26" 66 cm	49 lbs 22 kg	33.5" x 19" 85 cm x 48 cm	80 gal 303 L	150-250 lbs. 68 kg-113 kg	14.25" 36 cm	Standard	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	4 Security Bars
	Recon 70	7'9" 236 cm	25.5" 65 cm	48 lbs 22 kg	32.5" x 19" 83 cm x 48 cm	70 gal 265 L	80-150 lbs. 36 kg-68 kg	14.25" 36 cm	Standard	Standard	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	5 Security Bars
	Recon 83	8'3" 251 cm	26.5" 67 cm	52 lbs 24 kg	34" x 19.25" 86 cm x 49 cm	83 gal 314 L	140-200 lbs. 64 kg-91 kg	15.25" 39 cm	Standard	Standard	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	5 Security Bars
	Recon 93	8'8" 264 cm	27" 69 cm	55 lbs 25 kg	34" x 19.25" 86 cm x 49 cm	93 gal 352 L	180-275 lbs. 82 kg-125 kg	15.75" 40 cm	Standard	Standard	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	5 Security Bars
100	Ethos 9	9'7" 291 cm	25.75" 65 cm	52 lbs 24 kg	36" x 20.5" 92 cm x 52 cm	80 gal 303 L	90-200 lbs. 41 kg-91 kg	13.5" 34 cm	Trekking	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	1 Security Bars
	Ethos 10	10'3" 312 cm	27" 69 cm	54 lbs 25 kg	36" x 20.5" 92 cm x 52 cm	100 gal 379 L	150-260 lbs. 68 kg-118 kg	14.75" 37 cm	Trekking	N/A	Rotomolded	Injection Molded Aluminum	Forward Ratchet	Standard	Rotomolded Bulkhead	1 Security Bars

14 (SA 152) A 1		Beginner	Intermediate	Advanced	Stability	Ease of Rolling	Manueverability	Hull Speed/ Wave	Hull Speed/ Flatwater	Carving	Bounce	Sliciness	Looseness	River Running	Freestyle	Steep Creeks	Big Water	
1.	MODEL		YOU						THE BOAT						THE V	/ATER		
	Mobius FORTY NINE	Good	Great	Great	Good	Good	Great	Great	ОК	Great	Great	Great	Great	Good	Great	N/A	ОК	
	Mobius FIFTY SEVEN	Good	Great	Great	Good	Good	Great	Great	ОК	Great	Great	Great	Great	Good	Great	N/A	ОК	
	Mobius SIXTY FIVE	Good	Great	Great	Good	Good	Great	Great	ОК	Great	Great	Great	Great	Good	Great	N/A	ОК	-
	Fuse 35	Great	Great	Great	Good	Good	Great	Great	ОК	Good	Good	Good	Great	Great	Good	N/A	Good	
	Fuse 48	Great	Great	Great	Good	Good	Great	Great	ОК	Good	Good	Good	Great	Great	Good	N/A	Good	
ľ	Fuse 56	Great	Great	Great	Good	Good	Great	Great	ОК	Good	Good	Good	Great	Great	Good	N/A	Good	
	Fuse 64	Great	Great	Great	Good	Good	Great	Great	ОК	Good	Good	Good	Great	Great	Good	N/A	Good	i.e.
	Diesel 60	Great	Great	Great	Great	Great	Good	Great	Good	ОК	N/A	N/A	Good	Great	N/A	Good	Great	
	Diesel 70	Great	Great	Great	Great	Great	Good	Great	Good	ОК	N/A	N/A	Good	Great	N/A	Good	Great	
	Diesel 80	Great	Great	Great	Great	Great	Good	Great	Good	ОК	N/A	N/A	Good	Great	N/A	Good	Great	-
	Recon 70	Good	Great	Great	Good	Great	Great	ОК	ОК	Good	N/A	N/A	N/A	Great	N/A	Great	Great	
	Recon 83	Good	Great	Great	Good	Great	Great	ОК	ОК	Good	N/A	N/A	N/A	Great	N/A	Great	Great	
	Recon 93	Good	Great	Great	Good	Great	Great	ОК	ОК	Good	N/A	N/A	N/A	Great	N/A	Great	Great	
100	Ethos 9	Great	Great	Great	Great	Great	Good	Good	Great	ОК	N/A	N/A	N/A	Great	N/A	ОК	Good	
	Ethos 10	Great	Great	Great	Great	Great	Good	Good	Great	ОК	N/A	N/A	N/A	Great	N/A	ОК	Good	

BOAT SPECS-HOW WE GET THEM, WHAT THEY MEAN

WEIGHT

Based on a fully assembled boat including all outfitting. (NOTE: When comparing, other companies may not include outfitting in their weight specifications.)

CAPACITY

Field tests determine each model's capacity, with maximum being the greatest load the model can carry and still perform under typical conditions.

DIMENSIONS

Depths are measured from the highest point on the deck to the bottom of the hull directly under that point.

All Wave Sport kayaks are designed and manufactured in the U.S.A. and are covered by a 3-Year Limited Warranty. Coverage varies over the 3 years and limitations apply. Check out the website for full details: www.wavesport.com.

Polyethylene expands and contracts with changes in temperature and humidity. Actual dimensions can vary from those shown in the Specifications Chart due to molding process and/or exposure to extreme hot or cold temperatures. Slight variations are not covered by warranty.

Specifications and features are subject to change.

Colors may vary slightly from those shown in catalog. Color combinations (Citrus, Margarita, Purple Haze, Hornet, Cherry Bomb) will vary from those shown in catalog and are unique for each boat we produce. Variations in color are not not covered by warranty.

GLOBAL HEADQUARTERS

WAVE SPORT 575 Mauldin Road, Suite 200 Greenville, SC 29607 Tel. 888-52 KAYAK (888-525-2925) Fax: 888-373-1220 www.wavesport.com

INTERNATIONAL

JAPAN

Mont Bell Tel: +81 (0) 6 6531 4765 e-mail: int@montbell.com

NETHERLANDS, BELGIUM, LUXEMBORG

Kanocentrum Arjan Bloem Tel: +31 (75) 621 8805 e-mail: info@kajak.nl

AUSTRALIA

Paddle Pro Tel: +61 (0) 3 9546 7486 e-mail: sales@paddlepro.com.au

CHILE

Rivers, Lakes, Oceans Tel: +56 9 85403329 e-mail: ian@riverslakesoceans.com

NORWAY

Strie Strommer Tel: +47 47 41 46 69 e-mail: info@striestrommer.no

RUSSIA

Three Elements, LLC Tel: +7 (916) 900 0263 e-mail: df@paddler.ru

REPUBLIC OF IRELAND, NORTHERN IRELAND

Progressive Distribution Tel: +353 87 222 8767 e-mail: info@progressivedistribution.ie

SOUTH KOREA

Songkang Canoe School Tel: +82 33 461 1659 e-mail: paddler66@yahoo.co.kr

SPAIN

Outdoor Kayak Tel: +34 973-662 092 e-mail: oriol@outdoorkayak.com

COSTA RICA

Rivers, Lakes, Oceans Tel: +506 833 6205 e-mail: riverslakesoceans@gmail.com

UNITED KINGDOM (EXCEPT NORTHERN IRELAND) Wave Sport UK Tel: + 44 (0) 1825 765 891 e-mail: info@waveport.co.uk

GERMANY, SWITZERLAND, AUSTRIA, FRANCE, CZECH REPUBLIC, SLOVAKIA, SLOVENIA, POLAND, ITALY, DENMARK Blue And White GmbH Tel: +49 803690630 e-mail: info@kajak.de

© 2015 Wave Sport Wave Sport is a registered trademark of Confluence Outdoor CHECK US OUT ONLINE. www.wavesport.com

